

Data
Tables

Intentional & Unintentional
**Injuries in
Snohomish
County**



Published by Health Statistics & Assessment | February, 2011

ACKNOWLEDGEMENTS

Health Statistics & Assessment

Data analysis : Mark Serafin, MA, MS

Data Presentation & Design: Wendy Burchill-Blaisdell, BS

Manager: Jane Ballard, PhD, MS

Health Statistics & Assessment acknowledges Gary Goldbaum, MD, MPH, Health Officer for his assistance with editing and reviewing this report.

For more information on this report or other data, contact:

425.339.8618 | healthstats@shd.snohomish.wa.gov

www.snohd.org

Mission: To improve the health of individuals, families, and communities through disease prevention, health promotion, and protection from environmental threats.

POPULATION TABLES

Annual Populations Snohomish County & Washington State, 1990-2007

Year	Snohomish County	Washington State
1990	460,433	4,866,692
1991	475,474	5,021,335
1992	488,894	5,141,177
1993	502,944	5,265,688
1994	513,056	5,364,338
1995	530,339	5,470,104
1996	546,562	5,567,764
1997	566,791	5,663,762
1998	584,574	5,750,032
1999	600,548	5,830,834
2000	615,506	5,894,140
2001	614,755	5,974,899
2002	623,946	6,041,709
2003	633,719	6,098,299
2004	641,067	6,167,799
2005	628,584	6,256,399
2006	643,825	6,375,320
2007	657,284	6,487,999

The population numbers were used to calculate population-based rates in the report, “Intentional & Unintentional Injuries in Snohomish County.”

Health Planning Area (HPA) Populations Snohomish County, 2003-2007

Health Planning Area	Population
Arlington-Stanwood	301,734
East County	108,477
Monroe-Snohomish	290,358
Lake Stevens	193,116
Lynnwood-Mountlake Terrace-Brier	507,704
Marysville-Tulalip	317,412
North Everett	319,663
South Everett	415,556
Mill Creek-Bothell	454,143
Edmonds-Mukilteo	369,202

Average Populations Snohomish County, 2003-2007

Demographic	Population
Snohomish County	659,249
Washington State	6,277,220
Males	330,070
Females	329,179
< 15	143,488
15-24	89,099
30-44	201,391
45-64	163,744
65+	61,527
White	585,936
Black	14,484
American Indian	9,866
Asian/PI	48,964
Hispanic	35,046
Non-Hispanic	624,202

DATA TABLES

All tables are numbered according to their corresponding figures in the report “Intentional & Unintentional Injuries in Snohomish County.” Not all figures are represented in table form either because the numbers are provided in the figure, or the original data source was no longer available.

Differences between percentages shown in the report graphs and these tables are due to rounding.

**Table 2.1 Age-Adjusted Unintentional Injury Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	43.3	(37.0, 50.5)	180	1990	37.8	(36.0, 39.6)	1,794
1991	38.4	(32.5, 45.1)	165	1991	33.8	(32.1, 35.5)	1,624
1992	24.8	(20.3, 30.2)	113	1992	34.7	(33.0, 36.4)	1,712
1993	30.0	(25.0, 35.8)	134	1993	33.4	(31.8, 35.0)	1,683
1994	30.2	(25.2, 36.0)	138	1994	33.8	(32.2, 35.5)	1,748
1995	34.8	(29.5, 40.9)	161	1995	35.0	(33.4, 36.7)	1,853
1996	28.9	(24.2, 34.4)	140	1996	35.7	(34.1, 37.3)	1,922
1997	31.2	(26.4, 36.7)	159	1997	34.9	(33.3, 36.5)	1,910
1998	28.8	(24.2, 34.0)	147	1998	34.7	(33.2, 36.3)	1,938
1999	31.8	(27.2, 37.1)	173	1999	33.5	(32.0, 35.0)	1,913
2000	33.5	(28.7, 38.8)	186	2000	35.5	(33.9, 37.0)	2,048
2001	29.7	(25.3, 34.6)	168	2001	35.2	(33.6, 36.7)	2,064
2002	37.4	(32.6, 42.8)	223	2002	36.5	(35.0, 38.0)	2,181
2003	38.4	(33.5, 43.8)	228	2003	36.4	(34.9, 37.9)	2,210
2004	34.8	(30.2, 39.9)	214	2004	37.6	(36.0, 39.1)	2,326
2005	39.4	(34.6, 44.7)	251	2005	39.9	(38.3, 41.5)	2,520
2006	41.9	(37.0, 47.4)	268	2006	40.8	(39.2, 42.4)	2,646
2007	40.4	(35.6, 45.8)	264	2007	39.5	(38.0, 41.0)	2,612

**Table 2.2 Age-Adjusted Unintentional Injury Mortality Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	39.0	(36.9, 41.3)	1,225
Washington State	38.9	(24.9, 26.5)	4,432
Sex			
Males	52.9	(49.1, 56.9)	784
Females	26.6	(24.1, 29.2)	441
Age			
<15	4.3	(2.9, 6.1)	31
15-24	28.7	(24.0, 34.2)	128
25-44	35.9	(32.3, 39.8)	361
45-64	42.9	(38.5, 47.6)	351
65+	115.1	(103.4, 127.7)	354
Race			
White	39.8	(37.5, 42.3)	1,139
Black	40.2	(24.1, 80.7)	24
American Indian	91.0	(50.3, 161.2)	26
Asian/PI	17.3	(10.7, 28.7)	33
Ethnicity			
Hispanic	27.0	(37.1, 41.7)	37
Non-Hispanic	39.4	(17.5, 47.8)	1188

DATA TABLES

**Table 2.3 Age-Adjusted Unintentional Injury Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	1,067.9	(1,035.5, 1,101.2)	4,362	1990	985.2	(976.0, 994.4)	45,457
1991	1,279.8	(1,244.6, 1,315.8)	5,309	1991	1,015.9	(1,006.8, 1,025.2)	47,957
1992	1,290.2	(1,255.4, 1,325.8)	5,483	1992	1,017.3	(1,008.2, 1,026.4)	49,089
1993	1,113.7	(1,081.7, 1,146.5)	4,812	1993	966.0	(957.3, 974.8)	47,532
1994	1,042.0	(1,011.4, 1,073.4)	4,582	1994	902.8	(894.4, 911.2)	45,270
1995	1,065.4	(1,034.9, 1,096.8)	4,800	1995	873.4	(865.2, 881.5)	44,657
1996	1,064.2	(1,034.2, 1,095.1)	4,913	1996	900.2	(892.0, 908.4)	46,973
1997	1,038.4	(1,009.3, 1,068.1)	5,022	1997	934.4	(926.1, 942.7)	49,647
1998	1,029.1	(1,000.7, 1,058.1)	5,142	1998	933.9	(925.7, 942.0)	50,738
1999	1,003.9	(976.4, 1,032.0)	5,216	1999	912.6	(904.6, 920.6)	50,521
2000	1,089.2	(1,061.0, 1,117.9)	5,835	2000	990.8	(982.6, 999.1)	55,843
2001	1,126.8	(1,098.1, 1,156.2)	6,007	2001	1,040.7	(1,032.4, 1,049.1)	59,717
2002	1,067.7	(1,040.0, 1,095.9)	5,838	2002	1,045.6	(1,037.3, 1,053.9)	61,117
2003	1,083.5	(1,055.9, 1,111.6)	6,062	2003	1,071.4	(1,063, 1,079.8)	63,765
2004	1,275.7	(1,246.0, 1,306.0)	7,225	2004	1,145.3	(1,136.7, 1,153.9)	69,438
2005	1,353.7	(1,323.0, 1,385.1)	7,611	2005	1,175.4	(1,166.8, 1,184.0)	72,788
2006	1,321.3	(1,291.4, 1,351.8)	7,677	2006	1,192.0	(1,183.5, 1,200.6)	75,634
2007	1,305.1	(1,275.8, 1,334.9)	7,836	2007	1,182.1	(1,173.7, 1,190.6)	76,918

Table 2.4 Age-Adjusted Unintentional Injury Hospitalization Rates by Demographic Factors, Snohomish County, 2003-2007

Demographic	Rate per 100,000	95% CI	n
Snohomish County	1,268.8	(1,255.6, 1,282.2)	36,411
Washington State	1,154.3	(1,150.5, 1,158.1)	358,543
Sex			
Males	1,282.3	(1,262.2, 1,302.5)	17,054
Females	1,246.9	(1,229.2, 1,264.8)	19,357
Age			
<15	195.7	(185.4, 206.3)	1,367
15-24	485.7	(465.2, 507.0)	2,097
25-44	598.4	(583.1, 613.9)	5,853
45-64	1,315.2	(1,290.1, 1,340.6)	10,455
65+	5,527.8	(5,444.1, 5,612.4)	16,639

**Table 3.1 Age-Adjusted Unintentional Poisoning Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	2.6	(1.3, 4.9)	12	1990	2.4	(2.0, 2.9)	116
1991	2.7	(1.4, 5.0)	13	1991	2.1	(1.7, 2.6)	106
1992	1.4	(0.6, 3.2)	7	1992	2.9	(2.4, 3.4)	149
1993	4.1	(2.6, 6.4)	23	1993	3.6	(3.1, 4.1)	194
1994	5.4	(3.6, 8.0)	30	1994	4.3	(3.7, 4.9)	232
1995	3.7	(2.3, 5.9)	21	1995	5.2	(4.6, 5.8)	291
1996	5.3	(3.6, 7.8)	31	1996	5.6	(5.0, 6.3)	319
1997	5.3	(3.6, 7.6)	31	1997	5.7	(5.1, 6.4)	332
1998	4.1	(2.6, 6.2)	25	1998	5.7	(5.1, 6.4)	338
1999	7.1	(5.1, 9.6)	45	1999	7.0	(6.3, 7.7)	415
2000	7.2	(5.2, 9.7)	46	2000	6.9	(6.3, 7.6)	420
2001	4.6	(3.1, 6.7)	30	2001	6.2	(5.6, 6.9)	381
2002	8.7	(6.6, 11.4)	59	2002	8.0	(7.3, 8.7)	494
2003	10.0	(7.8, 12.8)	67	2003	8.6	(7.9, 9.4)	539
2004	12.0	(9.6, 15.0)	82	2004	9.8	(9.1, 10.7)	626
2005	12.1	(9.6, 15.1)	84	2005	10.4	(9.7, 11.3)	679
2006	12.8	(10.3, 15.9)	89	2006	11.3	(10.5, 12.2)	745
2007	13.6	(11.1, 16.7)	98	2007	11.9	(11.1, 12.8)	801

**Table 3.2 Age-Adjusted Unintentional Poisoning Mortality Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	12.2	(11.0, 13.4)	420
Washington State	10.5	(10.1, 10.8)	3,390
Sex			
Males	14.9	(13.1, 16.9)	261
Females	9.3	(7.9, 10.9)	159
Age			
<15	N/A	N/A	1
15-24	8.1	(5.7, 11.2)	36
25-44	19.7	(17, 22.6)	198
45-64	21.5	(18.4, 24.9)	176
65+	2.9	(1.3, 5.5)	9
Race			
White	12.9	(11.7, 14.3)	398
Black	14.6	(6.2, 52.1)	8
American Indian	14.1	(5.7, 56.3)	7
Asian/PI	2.6	(1.0, 10.3)	7
Ethnicity			
Hispanic	5.4	(2.0, 23.4)	8
Non-Hispanic	12.5	(11.3, 13.8)	412

DATA TABLES

**Table 3.6 Age-Adjusted Unintentional Poisoning Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	19.1	(15.2, 24.0)	85	1990	24.0	(22.6, 25.5)	1,154
1991	27.7	(22.8, 33.4)	121	1991	23.5	(22.2, 25.0)	1,156
1992	26.9	(22.3, 32.3)	126	1992	23.3	(22.0, 24.7)	1,184
1993	21.7	(17.6, 26.5)	104	1993	24.1	(22.7, 25.5)	1,239
1994	26.2	(21.8, 31.5)	126	1994	23.6	(22.3, 25.0)	1,240
1995	24.8	(20.6, 29.8)	126	1995	25.3	(23.9, 26.7)	1,355
1996	21.4	(17.5, 26.0)	110	1996	24.5	(23.2, 25.9)	1,340
1997	21.9	(18.0, 26.4)	118	1997	22.9	(21.7, 24.2)	1,274
1998	24.8	(20.7, 29.5)	133	1998	23.6	(22.4, 24.9)	1,327
1999	21.6	(17.9, 26.1)	117	1999	24.3	(23.0, 25.6)	1,386
2000	24.7	(20.7, 29.2)	140	2000	27.3	(25.9, 28.6)	1,580
2001	29.0	(24.7, 33.9)	165	2001	27.9	(26.5, 29.3)	1,645
2002	30.3	(26.0, 35.2)	181	2002	29.3	(27.9, 30.7)	1,756
2003	30.4	(26.1, 35.3)	181	2003	29.6	(28.2, 31.0)	1,802
2004	33.2	(28.8, 38.2)	205	2004	31.5	(30.1, 33.0)	1,954
2005	46.0	(40.7, 51.9)	280	2005	36.6	(35.1, 38.2)	2,324
2006	48.4	(43.0, 54.3)	303	2006	38.6	(37.1, 40.2)	2,503
2007	40.6	(35.7, 46.1)	256	2007	38.8	(37.3, 40.3)	2,552

**Table 3.7 Age-Adjusted Unintentional Poisoning Hospitalization Rates by
Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	39.7	(37.5, 42.1)	1,225
Washington State	35.1	(34.5, 35.8)	11,135
Sex			
Males	37.4	(34.3, 40.1)	570
Females	41.5	(38.3, 44.8)	655
Age			
<15	6.2	(4.5, 8.3)	43
15-24	34.3	(29.0, 40.3)	148
25-44	31.0	(27.6, 34.7)	303
45-64	56.1	(51.0, 61.6)	446
65+	94.7	(84.0, 106.3)	285

Table 3.8 Unintentional Poisoning Hospitalization Rates by Health Planning Area (HPA) Snohomish County, 2003-2007

Health Planning Area	Rate per 100,000	95% CI	n
Arlington-Stanwood	32.5	(26.3, 39.8)	98
East County	59.1	(44.9, 77.1)	60
Monroe-Snohomish	30.6	(24.1, 38.5)	80
Lake Stevens	43.3	(33.2, 56.2)	70
Lynnwood-Mountlake Terrace-Brier	32.2	(27.2, 37.9)	152
Marysville-Tulalip	49.7	(42.1, 58.5)	152
North Everett	63.9	(55.4, 73.4)	206
South Everett	43.6	(37.0, 51.3)	163
Mill Creek-Bothell	29.2	(24.0, 35.4)	119
Edmonds-Mukilteo	28.2	(23.0, 34.4)	104

Table 4.1 Age-Adjusted Motor Vehicle Collision Mortality Rates Snohomish County & Washington State, 1990-2007

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	19.3	(15.3, 24.1)	86	1990	17.6	(16.5, 18.9)	869
1991	17.3	(13.6, 21.8)	79	1991	14.6	(13.5, 15.7)	726
1992	8.7	(6.2, 12.0)	43	1992	13.3	(12.3, 14.3)	679
1993	9.9	(7.3, 13.4)	48	1993	13.2	(12.2, 14.2)	689
1994	10.3	(7.6, 13.9)	49	1994	12.9	(11.9, 13.9)	680
1995	11.5	(8.7, 15.1)	57	1995	13.1	(12.1, 14.1)	707
1996	9.9	(7.3, 13.2)	51	1996	13.6	(12.6, 14.6)	751
1997	11.5	(8.7, 14.9)	61	1997	12.9	(11.9, 13.8)	719
1998	9.8	(7.3, 12.9)	54	1998	12.4	(11.5, 13.4)	708
1999	11.3	(8.7, 14.6)	63	1999	12.4	(11.5, 13.4)	718
2000	10.4	(8.0, 13.5)	61	2000	12.1	(11.2, 13.0)	708
2001	10.3	(7.9, 13.3)	63	2001	12.4	(11.5, 13.3)	735
2002	13.7	(10.9, 17.1)	84	2002	12.5	(11.6, 13.4)	754
2003	10.2	(7.7, 13.1)	61	2003	11.6	(10.8, 12.5)	706
2004	7.5	(5.5, 10.0)	47	2004	10.8	(10.0, 11.6)	670
2005	11.4	(8.9, 14.4)	74	2005	12.0	(11.1, 12.8)	752
2006	10.0	(7.8, 12.9)	67	2006	11.1	(10.3, 12.0)	724
2007	8.6	(6.5, 11.2)	59	2007	9.7	(9.0, 10.5)	639

DATA TABLES

Table 4.2 Age-Adjusted Motor Vehicle Collision Mortality Rates by Demographic Factors, Snohomish County, 2003-2007

Demographic	Rate per 100,000	95% CI	n
Snohomish County	9.5	(8.5, 10.7)	308
Washington State	11.0	(10.7, 11.4)	3,491
Sex			
Males	14.4	(12.6, 16.5)	230
Females	4.8	(3.8, 6.1)	78
Age			
<15	1.8	(1.0, 3.1)	13
15-24	15.7	(12.3, 19.8)	70
25-44	9.9	(8.1, 12.1)	100
45-64	9.8	(7.8, 12.2)	80
65+	14.6	(10.7, 19.6)	45
Race			
White	9.4	(8.3, 10.6)	271
Black	17.1	(8.5, 54.2)	12
American Indian	24.7	(7.6, 74.6)	9
Asian/PI	7.7	(3.5, 17.5)	15
Ethnicity			
Hispanic	11.7	(6.5, 29.9)	19
Non-Hispanic	9.5	(8.4, 10.7)	289

Table 4.3 Age-Adjusted Motor Vehicle Collision Mortality Rates by Health Planning Area (HPA), Snohomish County, 2003-2007

Health Planning Area	Rate per 100,000	95% CI	n
Arlington-Stanwood	14.1	(10.0, 19.3)	40
East County	27.7	(18, 41.2)	27
Monroe-Snohomish	10.8	(7.2, 15.8)	30
Lake Stevens	8.5	(4.7, 15.3)	15
Lynnwood-Mountlake Terrace-Brier	6.7	(4.6, 9.5)	35
Marysville-Tulalip	10.2	(7.0, 14.6)	32
North Everett	10.8	(7.6, 15.2)	36
South Everett	8.7	(6.0, 12.4)	36
Mill Creek-Bothell	6.5	(4.2, 9.8)	27
Edmonds-Mukilteo	7.2	(4.6, 10.8)	25

**Table 4.5 Age-Adjusted Motor Vehicle Collision Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	126.2	(115.8, 137.3)	573	1990	119.4	(116.3, 122.5)	5,904
1991	122.8	(112.8, 133.5)	586	1991	106.4	(103.6, 109.4)	5,406
1992	107.4	(98.2, 117.3)	520	1992	102.4	(99.6, 105.2)	5,289
1993	88.6	(80.3, 97.6)	437	1993	93.1	(90.5, 95.8)	4,896
1994	88.3	(80.1, 97.3)	436	1994	89.7	(87.1, 92.3)	4,792
1995	88.9	(80.8, 97.7)	456	1995	86.4	(83.9, 88.9)	4,696
1996	70.6	(63.5, 78.4)	368	1996	82.3	(79.9, 84.7)	4,537
1997	74.8	(67.7, 82.6)	417	1997	80.6	(78.2, 83.0)	4,533
1998	73.3	(66.2, 80.9)	407	1998	80.0	(77.7, 82.4)	4,582
1999	73.9	(67.0, 81.4)	431	1999	76.7	(74.5, 79.0)	4,454
2000	70.2	(63.7, 77.4)	424	2000	78.5	(76.3, 80.9)	4,633
2001	70.0	(63.4, 77.0)	426	2001	80.5	(78.3, 82.9)	4,818
2002	73.1	(66.4, 80.4)	444	2002	75.8	(73.6, 78.0)	4,590
2003	62.8	(56.7, 69.4)	395	2003	72.4	(70.3, 74.6)	4,434
2004	71.1	(64.6, 78.2)	445	2004	74.6	(72.4, 76.8)	4,633
2005	86.4	(79.2, 94.2)	536	2005	78.2	(76.0, 80.4)	4,933
2006	73.8	(67.3, 80.9)	472	2006	75.8	(73.7, 78.0)	4,884
2007	70.8	(64.4, 77.7)	460	2007	71.4	(69.4, 73.5)	4,687

**Table 4.6 Age-Adjusted Motor Vehicle Collision Hospitalization Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	73	(70, 76.1)	2,308
Washington State	74.5	(73.5, 75.4)	23,571
Sex			
Males	94.5	(89.6, 99.5)	1,501
Females	51.2	(47.7, 54.8)	807
Age			
<15	20.5	(17.3, 24.1)	143
15-24	135.7	(125, 147.2)	586
25-44	77.6	(72.2, 83.3)	759
45-64	69.4	(63.8, 75.5)	552
65+	89.0	(78.7, 100.4)	268

DATA TABLES

**Table 4.8/9 Leading Types of Collisions
Washington State, 2007**

Collision Type	Total Number of Collisions	Percent of Total Collisions (N = 128,888)	Total Number of Fatal Collisions	Percent of Fatal Collisions (N = 529)
Same direction, one stopped - rear-end	24,888	19.3%	8	1.5%
Collided with fixed object	22,013	17.1%	176	33.2%
Entering at angle (merging)	16,501	12.8%	43	8.1%
Same direction, both moving, rear-end	10,309	8.0%	14	2.6%
One parked, one moving	9,337	7.2%	10	1.9%
Sideswipe	7,660	5.9%	4	0.8%
Vehicle overturned	4,071	3.2%	61	11.5%
Vehicle going straight hit pedestrian	957	0.7%	49	9.2%
Opposite direction, both moving, head-on collision	738	0.6%	57	10.8%

**Table 4.10 Leading Factors in Collisions
Washington State, 2007**

Factor	Number of Citations*	Percent of Collisions (N = 128,888)
Speeding	29,622	23.0%
Failure to grant right of way	24,236	18.8%
Following too closely	17,518	13.6%
Inattention	9,280	7.2%
Under influence of alcohol	7,372	5.7%

* More than one factor can be cited for each collision

**Table 4.11 Leading Factors in Fatal Collisions
Washington State, 2007**

Factor	Number of Citations*	Percent of Fatal Collisions (N = 529)
Speeding	208	39.3%
Under influence of alcohol	186	35.2%
Over center line	81	15.3%
Under influence of drugs	35	6.6%
Failure to grant right of way	32	6.0%

* More than one factor can be cited for each collision

**Table 4.13 Age-Adjusted Motorcycle Collision Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990-1991	1.7	(1.0, 2.9)	18	1990-1991	1.0	(0.8, 1.2)	99
1992-1993	0.5	(0.2, 1.3)	5	1992-1993	0.9	(0.7, 1.1)	90
1994-1995	0.9	(0.4, 1.8)	10	1994-1995	0.6	(0.5, 0.8)	70
1996-1997	0.6	(0.3, 1.4)	7	1996-1997	0.6	(0.5, 0.8)	72
1998-1999	0.5	(0.2, 1.2)	6	1998-1999	0.8	(0.6, 1.0)	93
2000-2001	0.8	(0.4, 1.5)	10	2000-2001	0.9	(0.7, 1.0)	103
2002-2003	0.8	(0.4, 1.5)	10	2002-2003	1.1	(1.0, 1.3)	141
2004-2005	1.4	(0.9, 2.3)	19	2004-2005	1.4	(1.2, 1.6)	174
2006-2007	1.7	(1.1, 2.6)	23	2006-2007	1.2	(1.1, 1.4)	163

**Table 5.1 Age-Adjusted Fall Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	4.9	(2.8, 8.2)	16	1990	4.9	(4.2, 5.6)	204
1991	5.6	(3.3, 9.0)	19	1991	5.1	(4.4, 5.8)	215
1992	4.8	(2.8, 7.8)	18	1992	5.2	(4.6, 6.0)	229
1993	5.8	(3.5, 9.1)	19	1993	5.3	(4.6, 6.0)	234
1994	4.8	(2.8, 7.7)	18	1994	5.2	(4.6, 5.9)	241
1995	7.7	(5.1, 11.2)	29	1995	5.6	(4.9, 6.3)	263
1996	5.3	(3.2, 8.3)	19	1996	6.0	(5.3, 6.7)	293
1997	4.5	(2.6, 7.2)	18	1997	5.6	(4.9, 6.2)	278
1998	5.5	(3.4, 8.3)	22	1998	5.6	(5.0, 6.3)	291
1999	7.7	(5.4, 10.8)	35	1999	6.2	(5.6, 6.9)	333
2000	9.0	(6.4, 12.2)	41	2000	8.4	(7.7, 9.2)	458
2001	8.7	(6.2, 11.8)	40	2001	8.4	(7.7, 9.2)	469
2002	8.4	(6.0, 11.5)	41	2002	8.5	(7.7, 9.2)	485
2003	10.6	(7.9, 13.9)	54	2003	8.9	(8.1, 9.7)	523
2004	8.4	(6.1, 11.4)	44	2004	9.0	(8.2, 9.8)	540
2005	9.8	(7.3, 12.8)	54	2005	9.2	(8.4, 9.9)	566
2006	11.7	(9.0, 15.0)	65	2006	10.2	(9.5, 11.1)	656
2007	11.2	(8.5, 14.4)	63	2007	10.8	(10.0, 11.7)	709

DATA TABLES

Table 5.2 Age-Adjusted Fall Mortality Rates by Demographic Factors, Snohomish County, 2003-2007

Demographic	Rate per 100,000	95% CI	n
Snohomish County	10.3	(9.2, 11.7)	280
Washington State	9.6	(9.3, 10.0)	2,994
Sex			
Males	13.4	(11.3, 15.9)	143
Females	8.3	(6.9, 9.8)	137
Age			
<25	N/A	N/A	3
25-44	1.3	(0.7, 2.2)	13
45-64	3.8	(2.6, 5.4)	31
65+	75.8	(66.4, 86.1)	233

Table 5.5 Age-Adjusted Fall Hospitalization Rates Snohomish County & Washington State, 1990-2007

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	354.7	(335.3, 375.1)	1,321	1990	347.0	(341.5, 352.7)	15,236
1991	386.8	(366.5, 407.9)	1,451	1991	352.3	(346.7, 357.9)	15,770
1992	367.3	(348.0, 387.4)	1,434	1992	348.4	(343.0, 353.9)	16,015
1993	355.9	(337.1, 375.5)	1,417	1993	339.5	(334.3, 344.9)	15,978
1994	334.0	(316.0, 352.7)	1,349	1994	313.2	(308.2, 318.3)	15,022
1995	333.3	(315.6, 351.8)	1,373	1995	310.6	(305.7, 315.6)	15,211
1996	318.0	(300.9, 335.8)	1,340	1996	316.7	(311.8, 321.7)	15,937
1997	285.2	(269.4, 301.6)	1,267	1997	313.8	(309.0, 318.7)	16,142
1998	294.7	(279.2, 311.0)	1,370	1998	314.2	(309.4, 319.0)	16,604
1999	292.3	(277.0, 308.1)	1,408	1999	311.9	(307.2, 316.7)	16,861
2000	302.1	(286.9, 317.9)	1,518	2000	315.7	(311.1, 320.5)	17,440
2001	312.1	(296.7, 328.2)	1,572	2001	317.5	(312.8, 322.2)	17,930
2002	313.2	(298.0, 329.1)	1,628	2002	314.7	(310.1, 319.4)	18,153
2003	296.7	(282.1, 311.9)	1,585	2003	299.0	(294.6, 303.4)	17,615
2004	314.3	(299.3, 329.8)	1,693	2004	307.0	(302.6, 311.5)	18,435
2005	319.7	(304.6, 335.5)	1,724	2005	311.1	(306.7, 315.4)	19,125
2006	309.3	(294.7, 324.5)	1,735	2006	318.0	(313.5, 322.4)	20,073
2007	319.5	(304.8, 334.7)	1,847	2007	311.0	(306.7, 315.4)	20,222

Table 5.6 Age-Adjusted Fall Hospitalization Rates by Demographic Factors, Snohomish County, 2003-2007

Demographic	Rate per 100,000	95% CI	n
Snohomish County	312.1	(307.4, 311.3)	8,584
Washington State	309.4	(307.4, 311.3)	95,470
Sex			
Males	279.5	(269.9, 289.4)	3,478
Females	327.6	(318.6, 336.9)	5,106
Age			
<25	54.0	(49.4, 58.9)	500
25-44	85.7	(80.0, 91.7)	838
45-64	217.5	(207.4, 228.0)	1,729
65+	1,784.0	(1,736.6, 1,832.4)	5,370

Table 5.7 Fall Hospitalization Rates by Health Planning Area (HPA) Snohomish County, 2003-2007

Health Planning Area	Rate per 100,000	95% CI	n
Arlington-Stanwood	261.0	(240.3, 283.2)	629
East County	297.3	(261.0, 337.4)	256
Monroe-Snohomish	286.3	(264.3, 309.7)	668
Lake Stevens	225.3	(198.6, 254.8)	296
Lynnwood-Mountlake Terrace-Brier	306.3	(289.6, 323.7)	1,307
Marysville-Tulalip	288.2	(268.5, 309.1)	809
North Everett	308.8	(290.1, 328.6)	1,049
South Everett	327.3	(306.5, 349.3)	973
Mill Creek-Bothell	337.8	(318.5, 358.0)	1,235
Edmonds-Mukilteo	295.9	(278.5, 314.1)	1,108

DATA TABLES

**Table 6.1 Age-Adjusted Suffocation Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990 - 1991	2.4	(1.3, 4.0)	15	1990 - 1991	1.9	(1.6, 2.2)	170
1992 - 1993	1.7	(0.9, 3.0)	14	1992 - 1993	1.8	(1.5, 2.1)	170
1994 - 1995	1.5	(0.8, 2.7)	12	1994 - 1995	1.5	(1.2, 1.7)	150
1996 - 1997	1.9	(1.1, 3.1)	17	1996 - 1997	1.3	(1.1, 1.6)	137
1998 - 1999	1.6	(0.9, 2.7)	15	1998 - 1999	1.8	(1.6, 2.1)	195
2000 - 2001	1.2	(0.6, 2.2)	12	2000 - 2001	1.6	(1.4, 1.8)	179
2002 - 2003	1.7	(1.0, 2.7)	18	2002 - 2003	1.4	(1.2, 1.6)	164
2004 - 2005	1.0	(0.5, 1.8)	11	2004 - 2005	1.8	(1.6, 2.1)	220
2006 - 2007	1.6	(1.0, 2.5)	19	2006 - 2007	1.7	(1.5, 2.0)	224

**Table 6.2 Age-Adjusted Suffocation Mortality Rates
By Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	1.5	(1.6, 1.9)	42
Washington State	1.7	(1, 1.6)	535
Sex			
Males	1.6	(0.9, 2.6)	23
Females	1.4	(0.9, 2.2)	19
Age			
<15	0.7	(0.2, 1.6)	5
15-24	N/A	N/A	1
25-44	N/A	N/A	4
45-64	1.2	(0.6, 2.2)	10
65+	7.2	(4.5, 10.8)	22

**Table 6.3 Age-Adjusted Suffocation Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	8.3	(5.8, 11.8)	36	1990	4.6	(4.0, 5.2)	218
1991	5.0	(3.1, 7.9)	22	1991	4.3	(3.8, 5.0)	210
1992	7.0	(4.6, 10.3)	29	1992	5.1	(4.5, 5.8)	250
1993	7.6	(5.2, 10.9)	33	1993	4.7	(4.1, 5.3)	235
1994	5.8	(3.8, 8.8)	26	1994	4.2	(3.6, 4.8)	213
1995	6.5	(4.3, 9.5)	29	1995	4.8	(4.2, 5.5)	249
1996	4.9	(3.1, 7.5)	23	1996	4.6	(4.1, 5.2)	242
1997	5.8	(3.8, 8.4)	29	1997	4.7	(4.1, 5.3)	248
1998	7.7	(5.4, 10.6)	38	1998	5.2	(4.6, 5.9)	278
1999	6.9	(4.8, 9.7)	35	1999	6.1	(5.5, 6.8)	335
2000	10.0	(7.4, 13.2)	51	2000	6.1	(5.5, 6.8)	339
2001	5.3	(3.5, 7.8)	28	2001	6.0	(5.4, 6.7)	338
2002	7.5	(5.3, 10.3)	38	2002	6.1	(5.5, 6.8)	355
2003	7.9	(5.6, 10.8)	41	2003	5.4	(4.8, 6.0)	314
2004	5.3	(3.5, 7.7)	28	2004	5.3	(4.8, 5.9)	318
2005	5.3	(3.5, 7.7)	28	2005	5.0	(4.5, 5.6)	307
2006	4.1	(2.6, 6.1)	24	2006	5.4	(4.8, 6.0)	337
2007	6.6	(4.6, 9.2)	37	2007	5.4	(4.8, 6.0)	343

**Table 6.4 Age-Adjusted Suffocation Hospitalization Rates
By Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	5.8	(4.9, 6.8)	158
Washington State	5.3	(5.0, 5.6)	1,619
Sex			
Males	5.9	(4.6, 7.5)	75
Females	5.5	(4.4, 6.9)	83
Age			
<15	1.9	(1.0, 3.2)	13
15-24	N/A	N/A	2
25-44	1.4	(0.8, 2.4)	14
45-64	4.3	(3.0, 6.0)	34
65+	31.6	(25.6, 38.6)	95

DATA TABLES

**Table 7.1 Age-Adjusted Drowning Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990-1991	2.7	(1.7, 4.1)	24	1990-1991	1.8	(1.6, 2.1)	182
1992-1993	1.0	(0.5, 2.0)	10	1992-1993	1.7	(1.4, 2.0)	175
1994-1995	1.2	(0.6, 2.2)	12	1994-1995	1.5	(1.3, 1.7)	162
1996-1997	1.5	(0.8, 2.5)	17	1996-1997	1.6	(1.3, 1.8)	173
1998-1999	1.5	(0.8, 2.4)	16	1998-1999	1.5	(1.3, 1.7)	172
2000-2001	0.9	(0.5, 1.7)	11	2000-2001	1.3	(1.1, 1.5)	147
2002-2003	1.2	(0.7, 2.0)	15	2002-2003	1.5	(1.3, 1.8)	184
2004-2005	1.7	(1.0, 2.6)	21	2004-2005	1.4	(1.2, 1.6)	170
2006-2007	0.9	(0.4, 1.6)	12	2006-2007	1.4	(1.2, 1.6)	176

**Table 7.2 Age-Adjusted Drowning Mortality Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	1.3	(0.9, 1.7)	41
Washington State	1.4	(1.2, 1.5)	431
Sex			
Males	2.0	(1.3, 2.9)	32
Females	0.5	(0.2, 1.1)	9
Age			
<15	1.1	(0.5, 2.2)	8
15-24	2.0	(0.9, 3.8)	9
25-44	1.1	(0.6, 2.0)	11
45-64	1.0	(0.4, 1.9)	8
65+	1.6	(0.5, 3.7)	5

**Table 7.3 Age-Adjusted Drowning-Related Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990-1991	1.7	(1.0, 2.9)	17	1990-1991	1.7	(1.4, 2.0)	171
1992-1993	1.7	(1.0, 2.9)	18	1992-1993	1.3	(1.1, 1.6)	144
1994-1995	1.2	(0.7, 2.2)	14	1994-1995	1.2	(1.0, 1.4)	127
1996-1997	1.6	(0.9, 2.6)	18	1996-1997	1.3	(1.1, 1.6)	148
1998-1999	0.8	(0.4, 1.6)	10	1998-1999	1.1	(0.9, 1.3)	130
2000-2001	1.0	(0.5, 1.7)	12	2000-2001	1.1	(0.9, 1.3)	123
2002-2003	0.7	(0.3, 1.5)	9	2002-2003	0.8	(0.7, 1.0)	100
2004-2005	0.8	(0.4, 1.5)	10	2004-2005	0.9	(0.7, 1.1)	106
2006-2007	0.4	(0.1, 1.0)	5	2006-2007	0.7	(0.6, 0.9)	94

**Table 7.4 Age-Adjusted Drowning-Related Hospitalization Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	0.7	(0.4, 1.0)	21
Washington State	0.8	(0.7, 0.9)	247
Sex			
Males	0.9	(0.5, 1.5)	13
Females	0.5	(0.2, 1.0)	8
Age			
<15	1.3	(0.6, 2.4)	9
15-24	1.2	(0.4, 2.7)	5
25-64	0.3	(0.1, 0.7)	5
65+	N/A	N/A	2

DATA TABLES

**Table 8.1 Age-Adjusted Intentional Injury Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	17.3	(13.6, 22.0)	77	1990	19.2	(17.9, 20.5)	928
1991	15.2	(11.7, 19.5)	67	1991	18.6	(17.4, 19.9)	924
1992	17.4	(13.7, 21.9)	81	1992	19.3	(18.1, 20.6)	994
1993	15.8	(12.4, 20.1)	77	1993	18.6	(17.4, 19.8)	971
1994	18.3	(14.6, 22.7)	90	1994	20.2	(19.0, 21.5)	1,073
1995	19.7	(16.0, 24.2)	101	1995	20.0	(18.8, 21.2)	1,092
1996	14.4	(11.2, 18.2)	76	1996	18.7	(17.6, 19.9)	1,038
1997	16.3	(13.1, 20.2)	91	1997	17.5	(16.5, 18.7)	986
1998	13.7	(10.8, 17.3)	75	1998	16.3	(15.3, 17.4)	933
1999	15.2	(12.1, 18.8)	88	1999	17.4	(16.3, 18.5)	1,009
2000	16.6	(13.5, 20.3)	100	2000	15.7	(14.7, 16.8)	927
2001	14.0	(11.2, 17.5)	84	2001	15.0	(14.1, 16.1)	902
2002	15.0	(12.0, 18.5)	91	2002	16.9	(15.9, 18.0)	1,024
2003	14.9	(12.0, 18.3)	94	2003	16.5	(15.5, 17.5)	1,012
2004	16.1	(13.1, 19.6)	102	2004	16.7	(15.7, 17.8)	1,039
2005	15.0	(12.2, 18.4)	99	2005	16.4	(15.4, 17.4)	1,046
2006	11.6	(9.2, 14.6)	80	2006	15.6	(14.6, 16.6)	1,015
2007	13.2	(10.6, 16.4)	90	2007	16.0	(15.1, 17.0)	1,057

**Table 8.2 Age-Adjusted Intentional Injury Mortality Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	14.1	(12.9, 15.5)	465
Washington State	16.2	(15.8, 16.7)	5,169
Sex			
Males	22.1	(19.8, 24.7)	353
Females	6.8	(5.6, 8.2)	112
Age			
<15	0.8	(0.3, 1.8)	6
15-24	14.8	(11.5, 18.9)	66
25-44	16.5	(14.1, 19.2)	166
45-64	20.3	(17.3, 23.6)	166
65+	19.8	(15.2, 25.5)	61
Race			
White	14.1	(12.8, 15.5)	415
Black	26.2	(9.0, 71.5)	13
American Indian	15.4	(6.6, 57.6)	8
Asian/PI	9.8	(6.5, 18.0)	27
Ethnicity			
Hispanic	12.5	(5.2, 33.0)	21
Non-Hispanic	14.1	(12.8, 15.5)	444

Table 8.3 Percent of Suicides & Homicides as a Proportion of All Injury Mortality by Demographic Factors, Snohomish County, 2003-2007

	Homicide		Suicide		All Intentional		Total Injuries*
	n	Percent of Injuries	n	Percent of Injuries	n	Percent of Injuries	
Snohomish County	82	4.7%	383	22.0%	465	26.8%	1,737
Washington State	1,078	6.0%	4,091	22.7%	5,169	28.7%	18,029
Sex							
Males	62	5.3%	291	24.9%	353	30.1%	1,171
Females	20	3.5%	92	16.3%	112	19.8%	566
Age							
<15	5	N/A	1	N/A	6	14.0%	43
15-24	22	10.9%	44	21.9%	66	32.8%	201
25-44	31	5.8%	135	25.1%	166	30.9%	538
45-64	17	3.2%	149	27.9%	166	31.0%	535
65+	7	1.7%	54	12.9%	61	14.5%	420
Race							
White	66	4.1%	349	21.9%	415	26.0%	1,597
Black	6	16.2%	7	18.9%	13	35.1%	37
American Indian	2	N/A	6	N/A	8	22.9%	35
Asian/PI	7	11.3%	20	32.3%	27	43.5%	62
Ethnicity							
Hispanic	10	16.4%	11	18.0%	21	34.4%	61
Non-Hispanic	72	4.3%	372	22.2%	444	26.5%	1,676

* includes injuries of unknown intent

Table 8.4 Age-Adjusted Intentional Injury Hospitalization Rates Snohomish County & Washington State, 1990-2007

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	86.8	(78.5, 96.0)	414	1990	90.9	(88.2, 93.6)	4,632
1991	80.8	(72.9, 89.6)	394	1991	89.6	(87.0, 92.2)	4,675
1992	89.4	(81.2, 98.4)	450	1992	89.4	(86.9, 92.0)	4,768
1993	79.1	(71.4, 87.5)	401	1993	89.2	(86.7, 91.8)	4,834
1994	80.6	(73.0, 89.0)	418	1994	86.2	(83.8, 88.7)	4,756
1995	57.3	(51.0, 64.3)	308	1995	81.0	(78.7, 83.4)	4,547
1996	50.5	(44.7, 56.9)	285	1996	75.5	(73.3, 77.8)	4,297
1997	55.1	(49.1, 61.6)	318	1997	77.9	(75.7, 80.2)	4,506
1998	43.7	(38.5, 49.5)	261	1998	73.2	(71.0, 75.4)	4,285
1999	45.0	(39.8, 50.7)	277	1999	65.2	(63.1, 67.3)	3,871
2000	46.7	(41.5, 52.4)	296	2000	71.5	(69.4, 73.7)	4,295
2001	48.6	(43.3, 54.4)	309	2001	75.6	(73.4, 77.8)	4,596
2002	55.3	(49.7, 61.4)	355	2002	72.0	(69.9, 74.2)	4,420
2003	58.8	(53.0, 65.1)	381	2003	74.7	(72.5, 76.8)	4,606
2004	65.4	(59.4, 72.0)	429	2004	77.6	(75.4, 79.8)	4,845
2005	68.4	(62.2, 75.1)	453	2005	79.9	(77.8, 82.2)	5,048
2006	67.2	(61.1, 73.7)	457	2006	82.2	(80.0, 84.4)	5,297
2007	59.2	(53.6, 65.3)	412	2007	75.8	(73.7, 78.0)	4,952

DATA TABLES

Table 8.5 Age-Adjusted Intentional Injury Hospitalization Rates by Demographic Factors, Snohomish County, 2003-2007

Demographic	Rate per 100,000	95% CI	n
Snohomish County	63.8	(61.1, 66.6)	2,132
Washington State	78.1	(77.1, 79.0)	24,748
Sex			
Males	66.3	(62.4, 70.4)	1,112
Females	61.7	(58.0, 65.7)	1,020
Age			
<15	9.8	(7.7, 12.4)	70
15 - 24	113.0	(103.3, 123.4)	501
25-44	99.9	(93.8, 106.3)	1,001
45-64	60.6	(55.3, 66.2)	492
65+	22.2	(17.2, 28.1)	68

Table 8.6 Age-Adjusted Intentional Injury Hospitalizations as a Proportion Of Total Injury Hospitalizations by Demographic Factors Snohomish County, 2003-2007

	<i>Suicide</i>		<i>Homicide</i>		<i>Intentional Injuries</i>		Total Injuries
	n	Percent of Injuries	n	Percent of Injuries	n	Percent of Injuries	
Snohomish County	1,539	3.9%	593	1.5%	2,132	5.4%	39,658
Washington State	17,095	4.3%	7,653	1.9%	24,748	6.2%	396,893
Sex							
Males	654	3.5%	458	2.4%	1,112	5.9%	18,706
Females	885	4.2%	135	0.6%	1,020	4.9%	20,952
Age							
< 15	34	2.3%	36	2.4%	70	4.7%	1,484
15-24	336	12.4%	165	6.1%	501	18.5%	2,705
25-44	735	10.4%	266	3.8%	1,001	14.1%	7,089
45-64	386	3.4%	106	0.9%	492	4.4%	11,226
65+	48	0.3%	20	0.1%	68	0.4%	17,154

**Table 9.1 Age-Adjusted Suicide Mortality Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	14.8	(11.4, 19.2)	66	1990	14.2	(13.2, 15.4)	679
1991	13.8	(10.5, 18.1)	60	1991	14.1	(13.1, 15.2)	690
1992	13.8	(10.5, 18.0)	62	1992	13.8	(12.8, 14.9)	701
1993	13.8	(10.5, 17.8)	65	1993	13.5	(12.5, 14.6)	696
1994	14.1	(10.9, 18.0)	69	1994	14.5	(13.5, 15.6)	761
1995	13.6	(10.5, 17.4)	69	1995	14.7	(13.7, 15.7)	796
1996	10.8	(8.1, 14.1)	57	1996	14.2	(13.2, 15.2)	786
1997	12.2	(9.4, 15.6)	68	1997	13.0	(12.1, 14.0)	730
1998	11.3	(8.6, 14.7)	61	1998	12.3	(11.4, 13.3)	700
1999	12.9	(10.2, 16.3)	75	1999	14.2	(13.2, 15.2)	819
2000	14.0	(11.2, 17.5)	84	2000	12.4	(11.5, 13.3)	727
2001	11.8	(9.1, 15.0)	70	2001	11.9	(11.0, 12.8)	710
2002	13.2	(10.5, 16.6)	80	2002	13.4	(12.5, 14.4)	811
2003	12.4	(9.8, 15.6)	78	2003	13.0	(12.1, 14.0)	801
2004	13.4	(10.7, 16.7)	85	2004	13.2	(12.3, 14.2)	823
2005	12.6	(10.0, 15.7)	82	2005	12.7	(11.8, 13.6)	814
2006	9.7	(7.5, 12.5)	67	2006	12.2	(11.3, 13.0)	796
2007	10.2	(8.0, 13.0)	71	2007	12.9	(12.1, 13.8)	857

**Table 9.2 Age-Adjusted Suicide Mortality Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	11.6	(10.5, 12.9)	383
Washington State	12.8	(12.4, 13.2)	4,091
Sex			
Males	18.4	(16.3, 20.8)	291
Females	5.5	(4.4, 6.8)	92
Age			
<15	N/A	N/A	1
15-24	9.9	(7.2, 13.3)	44
25-44	13.4	(11.2, 15.9)	135
45-64	18.2	(15.4, 21.4)	149
65+	17.6	(13.2, 22.9)	54
Race			
White	11.8	(10.6, 13.1)	349
Black	9.9	(3.7, 46.8)	7
American Indian	11.5	(4.2, 53.6)	6
Asian/PI	7.5	(4.5, 15.6)	20
Ethnicity			
Hispanic	9.1	(2.5, 30.0)	11
Non-Hispanic	11.8	(10.6, 13.1)	372

DATA TABLES

**Table 9.3 Age-Adjusted Suicide Mortality Rates by Health Planning Area (HPA)
Snohomish County, 2003-2007**

Health Planning Area	Rate per 100,000	95% CI	n
Arlington-Stanwood	11.7	(8.1, 16.5)	34
East County	20.5	(12.8, 32.0)	22
Monroe-Snohomish	13.1	(9.2, 18.4)	38
Lake Stevens	12.9	(7.3, 21.6)	18
Lynnwood-Mountlake Terrace-Brier	13.5	(10.5, 17.3)	70
Marysville-Tulalip	11.0	(7.6, 15.5)	34
North Everett	12.0	(8.5, 16.5)	40
South Everett	12.0	(8.7, 16.2)	47
Mill Creek-Bothell	9.0	(6.4, 12.6)	40
Edmonds-Mukilteo	9.5	(6.6, 13.3)	37

**Table 9.5 Age-Adjusted Suicide-Related Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	62.5	(55.4, 70.4)	295	1990	56.4	(54.3, 58.6)	2,853
1991	58.8	(52.0, 66.4)	282	1991	55.8	(53.7, 57.9)	2,889
1992	66.1	(59.1, 74.0)	329	1992	54.3	(52.4, 56.4)	2,883
1993	57.7	(51.2, 65.0)	290	1993	56.3	(54.3, 58.3)	3,032
1994	58.5	(52.0, 65.7)	304	1994	56.6	(54.6, 58.7)	3,121
1995	38.7	(33.5, 44.6)	206	1995	53.2	(51.3, 55.2)	2,978
1996	36.2	(31.3, 41.7)	204	1996	50.0	(48.1, 51.9)	2,838
1997	38.3	(33.4, 43.9)	222	1997	52.1	(50.2, 54.0)	3,010
1998	28.7	(24.6, 33.5)	172	1998	48.1	(46.4, 50.0)	2,817
1999	31.8	(27.5, 36.7)	195	1999	44.3	(42.6, 46.1)	2,633
2000	34.1	(29.7, 39.1)	217	2000	47.3	(45.6, 49.1)	2,841
2001	33.2	(28.9, 38.1)	212	2001	53.0	(51.2, 54.9)	3,224
2002	39.0	(34.3, 44.2)	252	2002	49.7	(47.9, 51.5)	3,051
2003	40.0	(35.3, 45.3)	259	2003	51.5	(49.7, 53.3)	3,179
2004	48.2	(43.0, 53.9)	318	2004	54.0	(52.2, 55.9)	3,378
2005	51.4	(46.0, 57.4)	329	2005	55.6	(53.8, 57.5)	3,514
2006	50.0	(44.7, 55.8)	328	2006	55.8	(54.0, 57.7)	3,597
2007	45.5	(40.5, 51.0)	305	2007	52.5	(50.7, 54.3)	3,427

Table 9.6 Age-Adjusted Suicide-Related Hospitalization Rates by Demographic Factors Snohomish County, 2003-2007

Demographic	Rate per 100,000	95% CI	n
Snohomish County	47.0	(44.7, 49.4)	1,539
Washington State	53.9	(53.1, 54.7)	17,095
Sex			
Males	39.9	(36.9, 43.2)	654
Females	54.7	(51.2, 58.5)	885
Age			
<15	4.9	(3.4, 6.8)	34
15 - 24	77.8	(69.7, 86.6)	336
25-44	75.1	(69.8, 80.8)	735
45-64	48.6	(43.8, 53.7)	386
65+	16.0	(11.8, 21.2)	48

Table 9.7 Age-Adjusted Suicide-Related Hospitalization Rates by Health Planning Area (HPA) Snohomish County, 2003-2007

Health Planning Area	Rate per 100,000	95% CI	n
Arlington-Stanwood	38.8	(32.0, 46.6)	117
East County	46.6	(34.4, 62.5)	49
Monroe-Snohomish	36.6	(30.0, 44.5)	109
Lake Stevens	29.9	(22.7, 39.6)	59
Lynnwood-Mountlake Terrace-Brier	47.3	(41.6, 53.7)	253
Marysville-Tulalip	48.5	(41.1, 56.9)	153
North Everett	77.8	(68.5, 88.1)	255
South Everett	50.0	(43.5, 57.4)	218
Mill Creek-Bothell	31.2	(26.2, 37.1)	142
Edmonds-Mukilteo	43.2	(36.6, 50.9)	155

DATA TABLES

**Table 10.1 Age-Adjusted Homicide Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	2.5	(1.2, 4.8)	11	1990	5.0	(4.4, 5.7)	250
1991	1.4	(0.5, 3.2)	7	1991	4.6	(4.0, 5.2)	236
1992	3.6	(2.1, 5.9)	19	1992	5.5	(4.9, 6.2)	295
1993	2.1	(1.1, 4.0)	12	1993	5.1	(4.5, 5.8)	277
1994	4.2	(2.6, 6.7)	21	1994	5.8	(5.1, 6.5)	314
1995	6.1	(4.2, 8.9)	32	1995	5.3	(4.7, 6.0)	299
1996	3.6	(2.1, 5.8)	19	1996	4.5	(4.0, 5.1)	254
1997	4.2	(2.6, 6.4)	23	1997	4.6	(4.0, 5.2)	259
1998	2.4	(1.3, 4.1)	14	1998	4.0	(3.5, 4.6)	234
1999	2.2	(1.2, 4.0)	13	1999	3.2	(2.8, 3.7)	190
2000	2.6	(1.5, 4.3)	16	2000	3.4	(2.9, 3.9)	200
2001	2.3	(1.2, 3.9)	14	2001	3.2	(2.8, 3.7)	192
2002	1.7	(0.9, 3.2)	11	2002	3.5	(3.0, 4.0)	213
2003	2.5	(1.4, 4.2)	16	2003	3.4	(3.0, 3.9)	211
2004	2.6	(1.5, 4.3)	17	2004	3.5	(3.1, 4.0)	216
2005	2.5	(1.4, 4.1)	17	2005	3.7	(3.2, 4.2)	232
2006	1.9	(1.0, 3.3)	13	2006	3.4	(3.0, 3.9)	219
2007	3.0	(1.8, 4.8)	19	2007	3.1	(2.7, 3.6)	200

**Table 10.2 Age-Adjusted Homicide Rates by Demographic Factors
Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	2.5	(2.0, 3.1)	82
Washington State	3.4	(3.2, 3.6)	1,078
Sex			
Males	3.7	(2.8, 4.9)	62
Females	1.2	(0.8, 1.9)	20
Age			
<15	0.7	(0.2, 1.6)	5
15-24	4.9	(3.1, 7.5)	22
25-44	3.1	(2.1, 4.4)	31
45-64	2.1	(1.2, 3.3)	17
65+	2.3	(0.9, 4.6)	7
Race			
White	2.3	(1.8, 2.9)	66
Black	16.6	(2.5, 62.9)	6
American Indian	N/A	N/A	2
Asian/PI	2.6	(1.0, 10.2)	7
Ethnicity			
Hispanic	3.6	(1.7, 21.0)	10
Non-Hispanic	2.3	(1.8, 2.9)	72

**Table 10.3 Age-Adjusted Assault-Related Hospitalization Rates
Snohomish County & Washington State, 1990-2007**

Snohomish County	Rate per 100,000	95% CI	n	Washington State	Rate per 100,000	95% CI	n
1990	24.3	(20.0, 29.4)	119	1990	34.5	(32.9, 36.2)	1,781
1991	22.3	(18.3, 27.1)	113	1991	33.8	(32.3, 35.5)	1,788
1992	23.3	(19.3, 28.1)	121	1992	35.1	(33.5, 36.7)	1,885
1993	21.4	(17.5, 26.0)	111	1993	33.0	(31.4, 34.5)	1,802
1994	22.1	(18.2, 26.8)	114	1994	29.6	(28.2, 31.1)	1,635
1995	18.6	(15.1, 22.8)	102	1995	27.8	(26.4, 29.2)	1,570
1996	14.3	(11.3, 17.9)	81	1996	25.6	(24.3, 26.9)	1,459
1997	16.7	(13.5, 20.6)	96	1997	25.9	(24.6, 27.2)	1,496
1998	15.0	(12.0, 18.6)	89	1998	25.1	(23.8, 26.4)	1,468
1999	13.2	(10.5, 16.5)	82	1999	20.9	(19.7, 22.1)	1,238
2000	12.5	(9.9, 15.7)	79	2000	24.3	(23.0, 25.5)	1,454
2001	15.4	(12.5, 18.9)	97	2001	22.6	(21.4, 23.8)	1,372
2002	16.3	(13.3, 19.9)	103	2002	22.4	(21.2, 23.6)	1,369
2003	18.8	(15.6, 22.5)	122	2003	23.1	(21.9, 24.4)	1,425
2004	17.2	(14.1, 20.8)	111	2004	23.5	(22.3, 24.8)	1,467
2005	19.7	(16.4, 23.6)	124	2005	24.3	(23.1, 25.6)	1,534
2006	19.8	(16.6, 23.7)	129	2006	26.4	(25.1, 27.7)	1,700
2007	16.0	(13.1, 19.5)	107	2007	23.4	(22.2, 24.6)	1,525

**Table 10.4 Age-Adjusted Assault-Related Hospitalization Rates
by Demographic Factors, Snohomish County, 2003-2007**

Demographic	Rate per 100,000	95% CI	n
Snohomish County	18.3	(16.9, 19.9)	593
Washington State	24.2	(23.6, 24.7)	7,651
Sex			
Males	27.9	(25.4, 30.7)	458
Females	8.5	(7.1, 10.0)	135
Age			
<15	5.2	(3.6, 7.1)	36
15 - 24	38.2	(32.6, 44.5)	165
25-44	27.2	(24.0, 30.7)	266
45-64	13.3	(10.9, 16.1)	106
65+	6.6	(4.1, 10.3)	20

