



COVID-19 Update for Week Ending June 6, 2020

Snohomish County COVID-19 Hospitalizations by Date



Snohomish County COVID-19 Case Rate per 100,000 for 2-week Rolling Periods March 1 - June 6, 2020



Type of exposure among COVID-19 cases in Snohomish County 5/24-6/6/2020

| Type of exposure | Number | Percent |
|------------------------------------|------------|--------------|
| Close contact | 52 | 26.8 |
| Community acquired | 38 | 19.6 |
| Long-term care facility associated | 23 | 11.9 |
| Healthcare worker | 10 | 5.2 |
| Pending investigation | 68 | 35.1 |
| Other | 3 | 1.5 |
| TOTAL | 194 | 100.0 |

Current case status of COVID-19 cases in Snohomish County 5/24-6/6/2020

| Current status | Number | Percent |
|----------------|------------|--------------|
| Home isolation | 112 | 57.7 |
| Recovered | 9 | 4.6 |
| Hospitalized | 6 | 3.1 |
| Deceased | 4 | 2.1 |
| Unknown | 63 | 32.5 |
| TOTAL | 194 | 100.0 |

Gender of COVID-19 cases in Snohomish County 5/24-6/6/2020

| Gender | Number | Percent |
|--------------|------------|--------------|
| Female | 88 | 45.4 |
| Male | 106 | 54.6 |
| TOTAL | 194 | 100.0 |

Age group of COVID-19 cases in Snohomish County 5/24-6/6/2020

| Age group in years | Number | Percent |
|--------------------|------------|--------------|
| 0-14 | 15 | 7.7 |
| 15-19 | 7 | 3.6 |
| 20-29 | 33 | 17.0 |
| 30-39 | 31 | 16.0 |
| 40-49 | 36 | 18.6 |
| 50-59 | 31 | 16.0 |
| 60-69 | 20 | 10.3 |
| 70-79 | 9 | 4.6 |
| 80+ | 12 | 6.2 |
| TOTAL | 194 | 100.0 |

Underlying health conditions of COVID-19 cases in Snohomish County 5/24-6/6/2020

| Underlying health condition | Number | Percent |
|------------------------------------|---------------|----------------|
| Yes | 70 | 36.1 |
| No | 53 | 27.3 |
| Unknown | 71 | 36.6 |
| TOTAL | 194 | 100.0 |

Hospitalization of COVID-19 cases in Snohomish County 5/24-6/6/2020

| Ever hospitalized | Number | Percent |
|--------------------------|---------------|----------------|
| No | 117 | 60.3 |
| Yes | 14 | 7.2 |
| Unknown | 63 | 32.5 |
| TOTAL | 194 | 100.0 |

City of residence of COVID-19 cases in Snohomish County 5/24-6/6/2020

| City | Number | Percent |
|------------------------|---------------|----------------|
| Bothell | 5 | 2.6 |
| Edmonds | 12 | 6.2 |
| Everett | 65 | 33.5 |
| Lynnwood | 48 | 24.7 |
| Marysville | 19 | 9.8 |
| Monroe | 5 | 2.6 |
| Mountlake Terrace | 8 | 4.1 |
| Mukilteo | 8 | 4.1 |
| Stanwood | 10 | 5.2 |
| Others (<5 cases each) | 14 | 7.2 |
| TOTAL | 194 | 100.0 |

Snohomish County COVID-19 Cumulative Data (January to June 6):


Type of exposure among COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Type of exposure | Number | Percent |
|------------------------------------|-------------|--------------|
| Community acquired | 1366 | 39.2 |
| Close contact | 906 | 26.0 |
| Long-term care facility associated | 611 | 17.5 |
| Healthcare worker | 278 | 8.0 |
| Travel | 54 | 1.5 |
| Corrections | 24 | 0.7 |
| Nosocomial | 21 | 0.6 |
| Pending investigation | 66 | 1.9 |
| Lost to follow-up | 162 | 4.6 |
| TOTAL | 3488 | 100.0 |

Current case status of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Current status | Number | Percent |
|----------------|-------------|--------------|
| Recovered | 3023 | 86.7 |
| Home isolation | 227 | 6.5 |
| Hospitalized | 31 | 0.9 |
| Deceased | 153 | 4.4 |
| Unknown | 54 | 1.5 |
| TOTAL | 3488 | 100.0 |

Weekly Percent of Snohomish County COVID-19 Cases by Type of Exposure and Onset Date




Gender of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Gender | Number | Percent |
|--------------|-------------|--------------|
| Female | 1873 | 53.7 |
| Male | 1615 | 46.3 |
| TOTAL | 3488 | 100.0 |


Age group of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Age group in years | Number | Percent |
|--------------------|-------------|--------------|
| 0-14 | 134 | 3.8 |
| 15-19 | 81 | 2.3 |
| 20-29 | 473 | 13.6 |
| 30-39 | 569 | 16.3 |
| 40-49 | 567 | 16.3 |
| 50-59 | 649 | 18.6 |
| 60-69 | 455 | 13.0 |
| 70-79 | 264 | 7.6 |
| 80+ | 295 | 8.5 |
| TOTAL | 3487 | 100.0 |

Snohomish County COVID-19 Cases by Age Group



Snohomish County COVID-19 Case Rates per 100,000 by Age Group



Underlying health conditions of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Underlying health condition | Number | Percent |
|-----------------------------|-------------|--------------|
| Yes | 1621 | 46.5 |
| No | 1597 | 45.8 |
| Unknown | 270 | 7.7 |
| TOTAL | 3488 | 100.0 |


Hospitalization of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Ever hospitalized | Number | Percent |
|-------------------|-------------|--------------|
| No | 2645 | 75.8 |
| Yes | 534 | 15.3 |
| Unknown | 309 | 8.9 |
| TOTAL | 3488 | 100.0 |


City of residence of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| City | Number recovered | Total number | Percent of total |
|-------------------|-------------------------|---------------------|-------------------------|
| Arlington | 120 | 128 | 3.7 |
| Bothell | 203 | 219 | 6.3 |
| Brier | 22 | 22 | 0.6 |
| Edmonds | 304 | 353 | 10.1 |
| Everett | 840 | 1030 | 29.5 |
| Granite Falls | 24 | 29 | 0.8 |
| Lake Stevens | 118 | 123 | 3.5 |
| Lynnwood | 580 | 665 | 19.1 |
| Marysville | 223 | 256 | 7.3 |
| Mill Creek | 48 | 57 | 1.6 |
| Monroe | 78 | 89 | 2.6 |
| Mountlake Terrace | 104 | 116 | 3.3 |
| Mukilteo | 60 | 67 | 1.9 |
| Snohomish | 147 | 162 | 4.6 |
| Stanwood | 93 | 110 | 3.2 |
| Sultan | 8 | 8 | 0.2 |
| Tulalip | 21 | 23 | 0.7 |
| Woodinville | 11 | 12 | 0.3 |
| Woodway | 8 | 8 | 0.3 |
| Other (<5 each) | 6 | 6 | 0.2 |
| Unknown | 3 | 3 | 0.1 |
| TOTAL | 3023 | 3488 | 100.0 |


Snohomish County COVID-19 Case Onset Dates




Cumulative Total Number of COVID-19 Cases in Snohomish County, by Report Date



Number of Reported COVID-19 Cases in Snohomish County, by Date




Status of COVID-19 Cases in Snohomish County by Date




Long-Term Care Facility Update

Long-term Care Facility Associated COVID-19 Cases by Onset Date, Snohomish County



Long-term Care Facility Associated COVID-19 Cases by Report Date, Snohomish County



| Current status | Number | Percent |
|------------------------------|--------|---------|
| Recovered | 468 | 76.3 |
| Isolation (not hospitalized) | 51 | 8.3 |
| Hospitalized | 12 | 2.0 |
| Deceased | 79 | 12.9 |
| Unknown | 3 | 0.5 |

| Ever hospitalized | Residents (% of residents) | Staff (% of staff) |
|-------------------|----------------------------|--------------------|
| No | 175 (59.1) | 262 (84.0) |
| Yes | 118 (39.9) | 22 (7.0) |
| Unknown | 3 (1.0) | 28 (9.0) |

LTCF and adult family home COVID-19 outbreaks (note only outbreaks with >5 cases are listed)


| Exposure location/type | Number | Percent of total LTCF-associated cases | Outbreak resolved |
|-------------------------------------|--------|--|-------------------|
| Sunrise View Everett | 78 | 12.7 | No |
| Rosewood Courte Memory Care | 46 | 7.5 | Yes |
| Lynnwood Post-Acute Rehab | 45 | 7.3 | Yes |
| Heritage Court Assisted Living | 43 | 7.0 | No |
| Terrace at Beverly Lake Memory Care | 39 | 6.4 | No |
| Josephine Caring Community | 33 | 5.4 | Yes |
| Chateau Pacific Assisted Living | 33 | 5.4 | No |
| Cedar Creek Memory Care | 22 | 3.6 | No |
| Pacifica Senior Living – Lynnwood | 16 | 2.6 | No |
| Gencare Scriber Gardens | 13 | 2.1 | Yes |
| Bethany at Pacific | 12 | 2.0 | No |
| Bothell Health Care | 7 | 1.1 | No |
| Sunrise of Edmonds | 6 | 1.0 | Yes |
| Mountlake Terrace Plaza | 5 | 0.8 | No |
| Intercity Adult Family Home | 5 | 0.8 | Yes |

Type of LTCF-associated COVID-19 case

| Type of case | Number | Percent |
|--------------|--------|---------|
| Staff | 312 | 50.9 |
| Resident | 296 | 48.3 |
| Visitor | 5 | 0.8 |

Snohomish County COVID-19 Deaths through June 6, 2020:

Number of COVID-19 Related Deaths in Snohomish County Residents by Date of Death




Gender of COVID-19 deaths in Snohomish County (all cases reported through 6/6/2020)

| Gender | Number | Percent |
|--------------|------------|--------------|
| Female | 71 | 46.4 |
| Male | 82 | 53.6 |
| TOTAL | 153 | 100.0 |

Age group of COVID-19 deaths in Snohomish County (all cases reported through 6/6/2020)

| Age group in years | Number | Percent |
|--------------------|------------|--------------|
| 20-29 | 1 | 0.7 |
| 30-39 | 2 | 1.3 |
| 40-49 | 6 | 3.9 |
| 50-59 | 12 | 7.8 |
| 60-69 | 15 | 9.8 |
| 70-79 | 41 | 26.8 |
| 80+ | 76 | 49.7 |
| TOTAL | 153 | 100.0 |

Age Group of Deceased COVID-19 Patients in Snohomish County



Underlying health conditions of COVID-19 deaths in Snohomish County (all cases reported through 6/6/2020)

| Underlying health condition | Number | Percent |
|-----------------------------|------------|--------------|
| Yes | 145 | 94.8 |
| No | 8 | 5.2 |
| TOTAL | 153 | 100.0 |

Hospitalization of COVID-19 cases in Snohomish County (all cases reported through 6/6/2020)

| Ever hospitalized | Number | Percent |
|-------------------|------------|--------------|
| Yes | 119 | 77.8 |
| No | 34 | 22.2 |
| TOTAL | 153 | 100.0 |

Type of exposure among COVID-19 deaths in Snohomish County (all cases reported through 6/6/2020)

| Type of exposure | Number | Percent |
|------------------------------------|------------|--------------|
| Long-term care facility associated | 79 | 51.6 |
| Community acquired | 54 | 35.3 |
| Close contact | 10 | 6.5 |
| Nosocomial | 7 | 4.6 |
| Travel | 3 | 2.0 |
| TOTAL | 153 | 100.0 |

City of residence of COVID-19 deaths in Snohomish County (all cases reported through 6/6/2020)

| City | Number | Percent |
|-----------------|---------------|----------------|
| Bothell | 8 | 5.2 |
| Edmonds | 25 | 16.3 |
| Everett | 60 | 39.2 |
| Lynnwood | 23 | 7.8 |
| Marysville | 12 | 7.8 |
| Mill Creek | 5 | 3.3 |
| Stanwood | 9 | 5.9 |
| Other (<5 each) | 11 | 7.2 |
| TOTAL | 153 | 100.0 |