


Daily COVID-19 Screening Protocols

SNOHOMISH HEALTH DISTRICT

Screen for COVID 19 Symptoms

Fever/Chills * Cough * Shortness of Breath/Difficulty Breathing * Fatigue *
Muscle or Body Aches * Headache * Loss of Taste or Smell * Sore Throat *
Congestion/Running Nose * Nausea or Vomiting * Diarrhea



A "Close Contact" is less than 6 feet away for at least 15 minutes from a confirmed or probable COVID 19 positive person.

Positive Screening Scenarios

Positive Screening Protocol: On Arrival with Immediate Transportation

	Close contact, no symptoms	COVID-19 diagnosis, no symptoms	1 or more COVID-19 symptoms
	Staff or Student shares they were in close contact (exposed) to someone with COVID-19 within the last 2 weeks but has NO symptoms.	Staff or Student shares that they were diagnosed with COVID-19 less than 10 days ago but has NO symptoms.	Staff or Student presents with at least 1 of the following COVID-19 symptoms: Fever or chills; cough; shortness of breath/difficulty breathing; Fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.
Who			
<p style="text-align: center;">Staff Member or Student</p> <p>When student has a designated individual (e.g., parent or guardian) present to immediately support child to get home or to medical care safely.</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home. <input type="checkbox"/> Can return to school once it has been 14 days since last close contact if they do not develop symptoms. <input type="checkbox"/> Cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, interventions, disposition. <input type="checkbox"/> Staff documentation per District HR guidelines. <input type="checkbox"/> Contact Snohomish Health District. 	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home. <input type="checkbox"/> Can return to school once it has been 10 days since their positive COVID-19 test, if they did not subsequently develop symptoms. <input type="checkbox"/> Assess any exposure that may have occurred while on site. <input type="checkbox"/> Close affected rooms for 24 hours and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, intervention, disposition. <input type="checkbox"/> Staff documentation per District HR guidelines. <input type="checkbox"/> Contact Snohomish Health District. 	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home. <input type="checkbox"/> To return to school after a positive COVID-19 test: <ul style="list-style-type: none"> ▪ At least 24 hours have passed since recovery – defined as no fever without the use of medications and improvement in respiratory signs like cough and shortness of breath; AND At least 10 days have passed since signs first showed up. <input type="checkbox"/> To return to school after a negative COVID-19 test: <ul style="list-style-type: none"> ▪ Until 24 hours after fever resolves and symptoms are improving. <input type="checkbox"/> To return to school if no COVID-19 test is performed: <ul style="list-style-type: none"> ▪ Refer to Return to School flowchart https://www.doh.wa.gov/Portals/1/Documents/1600/coronavirus/420-287-COVID-19SymptomEvalMgmtFlowChart.pdf <input type="checkbox"/> Clean and disinfect student area. At the discretion of nurse or admin, evaluate need to further close room for 24 hrs (Is there other COVID activity in the school? Were there multiple mild symptoms vs one? Etc.). <input type="checkbox"/> Student documentation: symptoms, intervention, disposition.

			<input type="checkbox"/> Staff documentation per District HR guidelines.
--	--	--	--

Positive Screening Protocol: On Arrival Without Immediate Transportation

	Close contact, no symptoms	COVID-19 diagnosis, no symptoms	1 or more COVID-19 symptoms
	Student shares they were in close contact (exposed) to someone with COVID-19 within the last 2 weeks but has NO symptoms.	Student shares they were diagnosed with COVID-19 less than 10 days ago but has NO symptoms.	Student presents with at least 1 of the following COVID-19 symptoms: Fever or chills; cough; shortness of breath/difficulty breathing; Fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.
Who			
Student When student DOES NOT have a designated individual (e.g., parent or guardian) present to immediately support child to get home or to medical care safely.	<input type="checkbox"/> If available, student should be in a disposable mask. If not, a cloth face covering. <input type="checkbox"/> Isolate student in designated area with supervision by an adult wearing a disposable face mask and face shield standing at least 6 feet away. <input type="checkbox"/> Enact plan to safely send student home as quickly as possible. <input type="checkbox"/> Can return to school once it has been 14 days since last close contact if they do not develop symptoms. <input type="checkbox"/> Close affected rooms for 24 hours or as long as possible and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, interventions, disposition. <input type="checkbox"/> Contact Snohomish Health District.	<input type="checkbox"/> If available, student should be in a disposable mask. If not, a cloth face covering. <input type="checkbox"/> Isolate student in designated area with supervision by an adult wearing a disposable face mask and face shield standing at least 6 feet away. <input type="checkbox"/> Enact plan to safely send student home as quickly as possible. Cannot be school transportation. <input type="checkbox"/> Can return to school once it has been 10 days since their first positive COVID-19 test, if they did not subsequently develop symptoms since their positive test. <input type="checkbox"/> Close affected rooms for 24 hours and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, intervention, disposition.	<input type="checkbox"/> If available, student should be in a disposable mask. If not, a cloth face covering. <input type="checkbox"/> Isolate student in designated area with supervision by an adult wearing a disposable face mask and face shield standing at least 6 feet away. <input type="checkbox"/> Enact plan to safely send student home as quickly as possible. Cannot be school transportation. <input type="checkbox"/> To return to school after a positive COVID-19 test result: <ul style="list-style-type: none"> ▪ At least 24 hours have passed since recovery – defined as no fever without the use of medications and improvement in respiratory signs like cough and shortness of breath; AND At least 10 days have passed since signs first showed up. <input type="checkbox"/> To return to school after a negative COVID-19 test result: <ul style="list-style-type: none"> ▪ Until 24 hours after fever resolves and symptoms are improving. <input type="checkbox"/> To return to school if no COVID-19 test is performed:

		<input type="checkbox"/> Contact Snohomish Health District.	<ul style="list-style-type: none"> ▪ Refer to Return to School flowchart https://www.doh.wa.gov/Portals/1/Documents/1600/coronavirus/420-287-COVID-19SymptomEvalMgmtFlowChart.pdf ▪ <input type="checkbox"/> Clean and disinfect student waiting area. At the discretion of nurse or admin, evaluate need to further close room(s) for 24 hrs (Is there other COVID activity in the school? Were there multiple mild symptoms vs one? Etc.). <input type="checkbox"/> Student documentation: symptoms, intervention, disposition.
--	--	---	--

Positive Screening Protocol: During the School Day

	Close contact, no symptoms	COVID-19 diagnosis, no symptoms	1 or more COVID-19 symptoms
Who	Student shares they were in close contact (exposed) to someone with COVID-19 while contagious within the last 2 weeks but has NO symptoms.	Student shares they were diagnosed with COVID-19 less than 10 days ago but has NO symptoms.	Student presents with at least 1 of the following COVID-19 symptoms: Fever or chills; cough; shortness of breath/difficulty breathing; Fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.
Student	<ul style="list-style-type: none"> <input type="checkbox"/> If available, student should be in a disposable mask. If not, a cloth face covering. <input type="checkbox"/> Isolate student in designated area with supervision by an adult wearing a disposable face mask and face shield standing at least 6 feet away. <input type="checkbox"/> Enact plan to safely send student home as quickly as possible. 	<ul style="list-style-type: none"> <input type="checkbox"/> If available, student should be in a disposable mask. If not, a cloth face covering. <input type="checkbox"/> Isolate student in designated area with supervision by an adult wearing a disposable face mask and face shield standing at least 6 feet away. <input type="checkbox"/> Enact plan to safely send student home as quickly as possible. Cannot be school transportation. <input type="checkbox"/> Can return to school once it has been 10 days since their first 	<ul style="list-style-type: none"> <input type="checkbox"/> If available, student should be in a disposable mask. If not, a cloth face covering. <input type="checkbox"/> Isolate student in designated area with supervision by an adult wearing a disposable face mask and face shield standing at least 6 feet away. <input type="checkbox"/> Enact plan to safely send student home as quickly as possible. Cannot be school transportation. <input type="checkbox"/> To return to school after a positive COVID-19 test result: <ul style="list-style-type: none"> ▪ At least 24 hours have passed since recovery – defined as no fever without the use of

	<ul style="list-style-type: none"> <input type="checkbox"/> Can return to school once it has been 14 days since last close contact if they do not develop symptoms. <input type="checkbox"/> Close affected rooms for 24 hours or as long as possible and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, interventions, disposition. <input type="checkbox"/> Contact Snohomish Health District. 	<p>positive COVID-19 test, if they did not subsequently develop symptoms since their positive test.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Close affected rooms for 24 hours, or as long as possible, and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, intervention, disposition. <input type="checkbox"/> Contact Snohomish Health District. 	<p>medications and improvement in respiratory signs like cough and shortness of breath; AND At least 10 days have passed since signs first showed up.</p> <ul style="list-style-type: none"> <input type="checkbox"/> To return to school after a negative COVID-19 test result: <ul style="list-style-type: none"> <input type="checkbox"/> Until 24 hours after fever resolves and symptoms are improving. <input type="checkbox"/> To return to school if no COVID-19 test is performed: <ul style="list-style-type: none"> <input type="checkbox"/> Refer to Return to School flowchart https://www.doh.wa.gov/Portals/1/Documents/1600/coronavirus/420-287-COVID-19SymptomEvalMgmtFlowChart.pdf <input type="checkbox"/> Clean and disinfect student area. At the discretion of nurse or admin, evaluate need to further close room(s) for 24 hrs (Is there other COVID activity in the school? Were there multiple mild symptoms vs one? Etc.). <input type="checkbox"/> Student documentation: symptoms, intervention, disposition.
--	---	--	--

Positive Screening Protocol: During the School Day

	Close contact, no symptoms	COVID-19 diagnosis, no symptoms	1 or more COVID-19 symptoms
	Staff member shares they were in close contact (exposed) to someone with COVID-19 while contagious within the last 2 weeks but has NO symptoms.	Staff member shares they were diagnosed with COVID-19 less than 10 days ago but has NO symptoms.	Staff member presents with at least 1 of the following COVID-19 symptoms: Fever or chills; cough; shortness of breath/difficulty breathing; Fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.
Who	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home. 	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home. 	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home.
Staff			

	<ul style="list-style-type: none"> <input type="checkbox"/> Can return to school once it has been 14 days since last close contact if they do not develop symptoms. <input type="checkbox"/> Close affected rooms for 24 hours, or as long as possible, and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Staff documentation per District HR guidelines. <input type="checkbox"/> Contact Snohomish Health District. 	<ul style="list-style-type: none"> <input type="checkbox"/> Can return to school once it has been 10 days since their first positive COVID-19 test, if they did not subsequently develop symptoms since their positive test. <input type="checkbox"/> Close affected rooms for 24 hours, or as long as possible, and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Staff documentation per District HR guidelines. <input type="checkbox"/> Contact Snohomish Health District. 	<ul style="list-style-type: none"> <ul style="list-style-type: none"> ▪ If not well enough, isolate staff in designated area with a disposable face mask and provide support to get home or to medical care. <input type="checkbox"/> To return to school after a positive COVID-19 test result: <ul style="list-style-type: none"> ▪ At least 24 hours have passed since recovery – defined as no fever without the use of medications and improvement in respiratory signs like cough and shortness of breath; AND At least 10 days have passed since signs first showed up. <input type="checkbox"/> To return to school after a negative COVID-19 test result: <ul style="list-style-type: none"> ▪ Until 24 hours after fever resolves and symptoms are improving. <input type="checkbox"/> To return to school if no COVID-19 test is performed: <ul style="list-style-type: none"> ▪ Refer to Return to School flowchart https://www.doh.wa.gov/Portals/1/Documents/1600/coronavirus/420-287-COVID-19SymptomEvalMgmtFlowChart.pdf <input type="checkbox"/> Clean and disinfect staff area. At the discretion of nurse or admin, evaluate need to further close room for 24 hrs (Is there other COVID activity in the school? Were there multiple mild symptoms vs one? Etc.). <input type="checkbox"/> Staff documentation per District HR guidelines.
--	--	---	---

Positive Screening Protocol: Multiple Family Members

	Close contact, no symptoms	COVID-19 diagnosis, no symptoms	1 or more COVID-19 symptoms
Who	Staff member and children or siblings shares that one or more within the family group were in close contact (exposed) to someone with COVID-19 while contagious within the last 2 weeks but has NO symptoms.	Staff member and children or siblings shares that one or more within the family group were diagnosed with COVID-19 less than 10 days ago but has NO symptoms.	Staff member and children or siblings shares that one or more within the family group presents with at least 1 of the following COVID-19 symptoms: Fever or chills; cough; shortness of breath/difficulty breathing; Fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.
<p>Multiple Family Members</p> <p>(e.g., district staff member with 1 or more children in the district; siblings)</p>	<ul style="list-style-type: none"> <input type="checkbox"/> Enact plan to safely send family members home as quickly as possible. <input type="checkbox"/> Can return to school once it has been 14 days since last close contact if they do not develop symptoms. <input type="checkbox"/> Close affected rooms for 24 hours, or as long as possible, and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Student documentation: symptoms, interventions, disposition. <input type="checkbox"/> Staff documentation per District HR guidelines. <input type="checkbox"/> Contact Snohomish Health District. 	<ul style="list-style-type: none"> <input type="checkbox"/> Immediately go home. <input type="checkbox"/> Can return to school once it has been 14 days since the last member of the household cleared their quarantine period. Contact the Snohomish Health District if assistance is needed in determining a safe return date. <input type="checkbox"/> Close affected rooms for 24 hours, or as long as possible, and then initiate cleaning/disinfecting protocol. <input type="checkbox"/> Staff documentation per District HR guidelines. <input type="checkbox"/> Contact Snohomish Health District. 	<ul style="list-style-type: none"> <input type="checkbox"/> Symptomatic person should immediately go home. <ul style="list-style-type: none"> <input type="checkbox"/> If not well enough, isolate staff/children in designated area with a disposable face mask and provide support to get home or to medical care. <input type="checkbox"/> To return to school after a positive COVID-19 test result: <ul style="list-style-type: none"> <input type="checkbox"/> At least 24 hours have passed since recovery – defined as no fever without the use of medications and improvement in respiratory signs like cough and shortness of breath; AND At least 10 days have passed since signs first showed up. <input type="checkbox"/> To return to school after a negative COVID-19 test result: <ul style="list-style-type: none"> <input type="checkbox"/> Until 24 hours after fever resolves and symptoms are improving. <input type="checkbox"/> To return to school if no COVID-19 test is performed: <ul style="list-style-type: none"> <input type="checkbox"/> Refer to Return to School flowchart https://www.doh.wa.gov/Portals/1/Documents/1600/coronavirus/420-287-COVID-19SymptomEvalMgmtFlowChart.pdf <input type="checkbox"/> Clean and disinfect affected areas. At the discretion of nurse or admin, evaluate need to further close room(s) for 24 hrs (Is there other COVID activity in the school? Were there multiple mild symptoms vs one? Etc.).

			<input type="checkbox"/> Staff documentation per District HR guidelines.
--	--	--	--