




# PROSTATE CANCER

Snohomish County, Washington State & US, 2003-2012



Year	SNOHOMISH				WASHINGTON		
	Cases	Male Population	Age-Adjusted Rate per 100,000	95% C. I.	Cases	Male Population	Age-Adjusted Rate per 100,000
2003	419	320515	174.6	(157.8, 193.0)	4449	3053598	167.4
2004	437	325009	175.4	(158.7, 193.5)	4587	3095267	167.5
2005	385	331414	150.0	(134.8, 166.6)	4536	3141258	159.7
2006	435	338906	165.0	(149.3, 182.2)	4969	3202917	168.6
2007	410	345607	147.7	(133.1, 163.6)	4986	3256141	163.3
2008	463	350691	152.7	(138.4, 168.2)	4945	3298333	153.8
2009	464	354009	145.9	(132.3, 160.7)	4778	3330741	141.2
2010	553	356958	168.6	(154.1, 184.2)	4899	3349707	140.6
2011	455	359113	136.6	(123.7, 150.7)	4711	3371644	131.4
2012	432	362135	125.0	(112.8, 138.4)	4098	3396799	110.9

95% Confidence Interval: A confidence interval is a range of values that has a specified probability of containing the rate. Narrow confidence intervals indicate that rate is precisely estimated, while wider confidence intervals indicate that the estimated rate is less precisely estimated.